DOOR DESIGN CATALOG

Series MG-3000





Home Protection Against Intruders
Hurricane Protection
No Shutter Necesary
Aesthetically Pleasing Appearance
Improved Energy Efficiency
UV + Noise Reduction
Easy Care / Maintenance
Higher Property Value
Lower Insurance Premiums

TECHNICAL SPECS

- Meets Florida Building Code for High Velocity Hurricane Zone. Large Missile rated
- Available configurations: X, XX, OX, OXO, OXXO, O
- Maximum dimensions: X configuration: 48" x 120", OXXO config: 156" x 98"
- Side-lites with matching top and bottom horizontal lines
- Stand along Single Side-lites available
- High Bottom Rail Door available
- Aluminum, Ball-Bearing (Stainless Steel) and Continuous Aluminum Geared Hinges available
- Max. Design pressures: +/-80 PSF

- Glazing capabilities 7/16" laminated and 1" insulated laminated. Enhanced thermal performance with low E coating available
- Industry Standard Hardware preparation: options for 3 Point Locks and Smart Locks
- Flush Bolts at top and bottom
- Multiple Glass Lites per door panel (intermediate horizontals) allowing combinations of privacy, clear or tinted glass
- Muntins and Raised Grid for design freedom
- Powder Coating aluminum finish. Meets AAMA 2604 exigencies (5-year warranty) AAMA 2605 is also available (10-year warranty)



DOOR DECORATIONS

Scan for CAD Drawings, Installation Manual and Product Approval (LMI) at: www.MrGlassWindows.com



MGD-01



MGD-02

MGD-03



MGD-07













MGD-13













MGD-19

















www.MrGlassWindows.com















MGD-10













MGD-16













MGD-22















TRUE DIVISION DESIGNS













































